

**Table 1. Sampling Operations
Site MRS-6 and MPUSD Area
Track 1 Plug-In Approval Memorandum, MRS-6 Expansion Area
Former Fort Ord, California**

Site	Grid	Operation Type	Contractor	Instrument	Grid Completion Date
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D2J4B4-01*	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D215J4-01*	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D214H4-01*	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D214G0-01*	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D215G4-01*	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D215D4-01	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D214F8-01	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available
MPUSD -- Monterey Peninsula Unified School District Area (MPUSD)	D214A8-01	Sampling	HFA	SCHONSTEDT GA-72CV or GA-52C	Not available

Sampling = 100 percent of the anomalies detected were excavated to a minimum depth of 4 feet. Deeper anomalies were investigated if directed by the USACE.

* = Grid is partially or completely within the boundaries of MRS-6 Expansion Area

HFA = Human Factors Applications, Inc.

Note: Fields with annotation of "not available" is a void field in the OE database.